

BLEEDING CONTROL/SHOCK MANAGEMENT

Candidate:	Examiner:		
Date:	Signature:		
		Possible	Points
Actual Time Started:		Points	Awarded
Takes or verbalizes appropriate body substance isolation pr	ecautions	1	
Applies direct pressure to the wound		1	
NOTE: The examiner must now inform the candidate th	at the wound continues to bleed.		
Applies tourniquet		1	
NOTE: The examiner must now inform the candidate that the patient is exhibiting signs and symptoms of			
hypoperfusion.			
Properly positions the patient		1	
Administers high concentration oxygen		1	
Initiates steps to prevent heat loss from the patient		1	
Indicates the need for immediate transportation		1	
Actual Time Ended:	TOTAL	7	
		· · · ·	

Critical Criteria

- ____ Did not take or verbalize body substance isolation precautions
- ____ Did not administer high concentration of oxygen
- ____ Did not control hemorrhage using correct procedures in a timely manner
- ____ Did not indicate the need for immediate transportation
- ____ Failure to manage the patient as a competent EMT
- ____ Exhibits unacceptable affect with patient or other personnel
- _____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on this form (below or turn sheet over).



SPINAL IMMOBILIZATION (SEATED PATIENT)

Candidate:	Examiner:
Date:	Signature:

Actual Time Started:	Possible Points	Points Awarded
Takes or verbalizes appropriate body substance isolation precautions	1	
Directs assistant to place/maintain head in the neutral, in-line position	1	
Directs assistant to maintain manual stabilization of the head	1	
Reassesses motor, sensory, and circulatory functions in each extremity	1	
Applies appropriately sized extrication collar	1	
Positions the immobilization device behind the patient	1	
Secures the device to the patient's torso	1	
Evaluates torso fixation and adjusts as necessary	1	
Evaluates and pads behind the patient's head as necessary	1	
Secures the patient's head to the device	1	
Verbalizes moving the patient to a long backboard	1	
Reassesses motor, sensory, and circulatory function in each extremity	1	
Actual Time Ended: TOTA	AL 12	

Critical Criteria

- ____ Did not immediately direct or take manual stabilization of the head
- ____ Did not properly apply appropriately sized cervical collar before ordering release of manual stabilization
- _____ Released or ordered release of manual stabilization before it was maintained mechanically
- ____ Manipulated or moved the patient excessively causing potential spinal compromise
- _____ Head immobilized to the device **before** device sufficiently secured to the torso
- ____ Device moves excessively up, down, left, or right on the patient's torso
- ____ Head immobilization allows for excessive movement
- ____ Torso fixation inhibits chest rise, resulting in respiratory compromise
- _____ Upon completion of immobilization, head is not in a neutral, in-line position
- ____ Did not reassess motor, sensory, and circulatory functions in each extremity after voicing immobilization to the long backboard
- ____ Failure to manage the patient as a competent EMT
- ____ Exhibits unacceptable affect with patient or other personnel
- ____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.

 ${\small ©}$ 2011 by the National Registry of Emergency Medical Technicians, Inc.



BVM VENTILATION OF AN APNEIC ADULT PATIENT

Candidate:	Examiner:		
Date:	Signature:	Possible	Points
Actual Time Started:		Possible Points	Awarded
Takes or verbalizes appropria	te body substance isolation precautions	1	
Checks responsiveness	NOTE: After checking responsiveness and breathing for at least 5 but no	1	
Checks breathing	more than 10 seconds, examiner informs the candidate, "The patient is unresponsive and apneic."	1	
Requests additional EMS ass	istance	1	
Checks pulse for at least 5 bu		1	
	t now inform the candidate, "You palpate a weak carotid pulse at a rate of 60."		-
Opens airway properly		1	
	t now inform the candidate, "The mouth is full of secretions and vomitus."		
Prepares rigid suction cathete		1	
*	vice or retrieves manual suction device	1	
Inserts rigid suction catheter		1	
Suctions the mouth and oroph		1	<u></u>
	t now inform the candidate, "The mouth and oropharynx are clear."		
Opens the airway manually		1	
Inserts oropharyngeal airway		1	
	t now inform the candidate, "No gag reflex is present and the patient accepts th	le airway adj	unct."
	ediately using a BVM device unattached to oxygen		
[**Award this point if candidate elects to ventilate initially with BVM attached to reservoir and oxygen so 1			
long as first ventilation is del		<u> </u>	<u> </u>
	t now inform the candidate that ventilation is being properly performed withou	1	1
	but no more than 10 seconds	1	
	[mask, bag, reservoir] to oxygen [15 L/minute]	1	
Ventilates the patient adequately			
-Proper volume to make chest rise (1 point)		2	
<u> </u>	e but not to exceed 12/minute] (1 point)		
<i>NOTE:</i> The examiner must now ask the candidate, "How would you know if you are delivering appropriate volumes with each ventilation?"			
Actual Time Ended:	TOTAL	17	
Critical Criteria			<u></u>
Failure to initiate ventilations within 30 seconds after taking body substance isolation precautions or			
interrupts ventilations for greater than 30 seconds at any time			
Failure to take or verbalize body substance isolation precautions			
Failure to suction airway before ventilating the patient			

- ____ Suctions the patient for an excessive and prolonged time
- _____ Failure to check responsiveness and breathing for at least 5 seconds but no more than 10 seconds
- Failure to check pulse for at least 5 seconds but no more than 10 seconds
- _____ Failure to voice and ultimately provide high oxygen concentration [at least 85%]
- ____ Failure to ventilate the patient at a rate of at least 10/minute and no more than 12/minute
- _____ Failure to provide adequate volumes per breath [maximum 2 errors/minute permissible]
- ____ Insertion or use of any adjunct in a manner dangerous to the patient
- ____ Failure to manage the patient as a competent EMT
- ____ Exhibits unacceptable affect with patient or other personnel
- ____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on this form (below or turn sheet over).

© 2011 by the National Registry of Emergency Medical Technicians, Inc.



CARDIAC ARREST MANAGEMENT / AED

Candidate: Exa	miner:	
Date: Sig	nature:	
Actual Time Started:	Poss Poir	
Takes or verbalizes appropriate body substance isolation precau	tions 1	
Determines the scene/situation is safe	1	
Attempts to question bystanders about arrest events	1	
Checks patient responsiveness	1	
NOTE: The examiner must now inform the candidate, "The	patient is unresponsive."	
Assesses patient for signs of breathing [observes the patient and abnormal breathing (gasping or agonal respirations)]	determines the absence of breathing or 1	
<i>NOTE:</i> The examiner must now inform the candidate, "The respirations."	patient is apneic," or, "The patient has gasping	, agonal
Checks carotid pulse [no more than 10 seconds]	1	
NOTE: The examiner must now inform the candidate, "The		-
Immediately begins chest compressions [adequate depth and rat	e; allows the chest to recoil completely] 1	
Requests additional EMS response	1	
Performs 2 minutes of high quality, 1-rescuer adult CPR		
Adequate depth and rate (1 point)		
Correct compression-to-ventilation ratio (1 point)	5	
Allows the chest to recoil completely (1 point)		
Adequate volumes for each breath (1 point)		
Minimal interruptions of less than 10 seconds throughout (1		
<i>NOTE:</i> After 2 minutes (5 cycles), patient is assessed and set AED.	cond rescuer resumes compressions while cand	date operates
Turns-on power to AED	1	
Follows prompts and correctly attaches AED to patient	1	
Stops CPR and ensures all individuals are clear of the patient du		
Ensures that all individuals are clear of the patient and delivers	shock from AED 1	
Immediately directs rescuer to resume chest compressions	1	
Actual Time Ended:	TOTAL 18	

Critical Criteria

- _____ Failure to take or verbalize appropriate body substance isolation precautions
- _____ Failure to immediately begin chest compressions as soon as pulselessness is confirmed
- ____ Failure to deliver shock in a timely manner
- ____ Interrupts CPR for more than 10 seconds at any point
- ____ Failure to demonstrate acceptable high-quality, 1-rescuer adult CPR
- ____ Failure to operate the AED properly
- ____ Failure to correctly attach the AED to the patient
- Failure to assure that all individuals are clear of patient during rhythm analysis **and** before delivering shock(s) [verbalizes "All clear" and observes]
- ____ Failure to immediately resume compressions after shock delivered
- ____ Failure to manage the patient as a competent EMT
- ____ Exhibits unacceptable affect with patient or other personnel
- ____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on this form (below or turn sheet over).

© 2011 by the National Registry of Emergency Medical Technicians, Inc. All materials subject to this copyright may be photocopied for the non-commercial purpose of educational or scientific advancement.



PATIENT ASSESSMENT/MANAGEMENT - MEDICAL

Candidate: Examiner:		
Date: Signature:		
Scenario #:		
Actual Time Started:	Possible Points	Points Awarded
Takes or verbalizes appropriate body substance isolation precautions	1	11.001.000
SCENE SIZE-UP	-	
Determines the scene/situation is safe	1	
Determines the mechanism of injury/nature of illness	1	
Determines the number of patients	1	
Requests additional help if necessary	1	
Considers stabilization of the spine	1	
PRIMARY SURVEY/RESUSCITATION		
Verbalizes general impression of the patient	1	
Determines responsiveness/level of consciousness (AVPU)	1	
Determines chief complaint/apparent life-threats	1	
Assesses airway and breathing		
-Assessment (1 point)	3	
-Assures adequate ventilation (1 point)	5	
-Initiates appropriate oxygen therapy (1 point)		
Assesses circulation		
-Assesses/controls major bleeding (1 point)	3	
-Checks pulse (1 point)		
-Assesses skin [either skin color, temperature or condition] (1 point)		
Identifies patient priority and makes treatment/ transport decision	1	Ĺ
HISTORY TAKING		
History of the present illness		
-Onset (1 point) -Quality (1 point) -Severity (1 point)	8	
-Provocation (1 point) -Radiation (1 point) -Time (1 point)		
-Clarifying questions of associated signs and symptoms related to OPQRST (2 points)	·	
Past medical history	5	
-Allergies (1 point)-Past pertinent history (1 point)-Events leading to present-Medications (1 point)-Last oral intake (1 point)illness (1 point)	5	
	<u>i</u>	<u>i</u>
SECONDARY ASSESSMENT Assesses affected body part/system		
-Cardiovascular -Neurological -Integumentary -Reproductive	5	
-Pulmonary -Musculoskeletal -GI/GU -Psychological/Social	5	
VITAL SIGNS		
-Pulse (1 point) -Respiratory rate and quality (1 point each)		
-Blood pressure (1point)	4	
States field impression of patient	1	<u> </u>
Interventions [verbalizes proper interventions/treatment]	1	<u></u>
REASSESSMENT		<u> </u>
	1	
Demonstrates how and when to reassessment the patient to determine changes in condition	1	
Provides accurate verbal report to arriving EMS unit	1	i
Actual Time Ended: TOTAL	42	

© 2011 by the National Registry of Emergency Medical Technicians, Inc. All materials subject to this copyright may be photocopied for the non-commercial purpose of educational or scientific advancement.

Critical Criteria

- Failure to initiate or call for transport of the patient within 15 minute time limit
- _____ Failure to take or verbalize appropriate body substance isolation precautions
- ____ Failure to determine scene safety before approaching patient
- ____ Failure to voice and ultimately provide appropriate oxygen therapy
- ____ Failure to assess/provide adequate ventilation
- _____ Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock
- ____ Failure to differentiate patient's need for immediate transportation versus continued assessment or treatment at the scene
- _____ Performs secondary examination before assessing and treating threats to airway, breathing and circulation
- ____ Orders a dangerous or inappropriate intervention
- ____ Failure to provide accurate report to arriving EMS unit
- ____ Failure to manage the patient as a competent EMT
- ____ Exhibits unacceptable affect with patient or other personnel
- ____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on this form (below or turn sheet over).

Comments:



PATIENT ASSESSMENT/MANAGEMENT – TRAUMA

Candidate: Examiner:		
Date: Signature:		
Scenario #:		
NOTE: Areas denoted by "**" may be integrated within sequence of Primary Survey/Resusci		Points
Actual Time Started:	Points	Awarded
Takes or verbalizes appropriate body substance isolation precautions	1	
SCENE SIZE-UP		
Determines the scene/situation is safe	1	
Determines the mechanism of injury/nature of illness	1	
Determines the number of patients	1	
Requests additional EMS assistance if necessary	1	
Considers stabilization of the spine	1	
PRIMARY SURVEY/RESUSCITION		
Verbalizes general impression of the patient	1	
Determines responsiveness/level of consciousness	1	
Determines chief complaint/apparent life-threats	1	
Airway	2	
-Opens and assesses airway (1 point) -Inserts adjunct as indicated (1 point)	2	
Breathing		
-Assesses breathing (1 point)		
-Assures adequate ventilation (1 point)	4	
-Initiates appropriate oxygen therapy (1 point)		
-Manages any injury which may compromise breathing/ventilation (1 point)		
Circulation		
-Checks pulse (1 point)		
-Assesses skin [either skin color, temperature or condition] (1 point)	4	
-Assesses for and controls major bleeding if present (1 point)		
-Initiates shock management [positions patient properly, conserves body heat] (1 point)		
Identifies patient priority and makes treatment/ transport decision (based on calculated GCS)	1	
HISTORY TAKING	1	
Attempts to obtain sample history	1	
SECONDARY ASSESSMENT	1	
Head		
-Inspects mouth**, nose** and assesses facial area (1 point)	3	
-Inspects and palpates scalp and ears (1 point)	U	
-Assesses eyes** (1 point)		
Neck**		
-Checks position of trachea (1 point)	3	
-Checks jugular veins (1 point)		
-Palpates cervical spine (1 point)		
Chest**		
-Inspects chest (1 point)	3	
-Palpates chest (1 point) -Auscultates chest (1 point)		
Abdomen/pelvis** -Inspects and palpates abdomen (1 point)		
-Assesses pelvis (1 point)	3	
-Verbalizes assessment of genitalia/perineum as needed (1 point)		
Lower extremities**		
-Inspects, palpates and assesses motor, sensory and distal circulatory functions (1 point/leg)	2	
Upper extremities		
-Inspects, palpates and assesses motor, sensory and distal circulatory functions (1 point/arm)	2	
Posterior thorax, lumbar and buttocks**		
-Inspects and palpates posterior thorax (1 point)	2	
-Inspects and palpates lumbar and buttocks areas (1 point)	_	
VITAL SIGNS		
Obtains baseline vital signs [must include BP, P, R] (1 point)	1	
Manages secondary injuries and wounds appropriately	1	
	1	
REASSESSMENT	1	
Demonstrates how and when to reassesses the patient	1	
A stud Time Traded.		
Actual Time Ended: T	OTAL 42	

© 2011 by the National Registry of Emergency Medical Technicians, Inc. All materials subject to this copyright may be photocopied for the non-commercial purpose of educational or scientific advancement.

Critical Criteria

- _____ Failure to initiate or call for transport of the patient within 10 minute time limit
- ____ Failure to take or verbalize body substance isolation precautions
- ____ Failure to determine scene safety
- ____ Failure to assess for and provide spinal protection when indicated
- _____ Failure to voice and ultimately provide high concentration of oxygen
- ____ Failure to assess/provide adequate ventilation
- _____ Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock
- Failure to differentiate patient's need for immediate transportation versus continued assessment/treatment at the scene
- _____ Performs other assessment before assessing/treating threats to airway, breathing and circulation
- ____ Failure to manage the patient as a competent EMT
- ____ Exhibits unacceptable affect with patient or other personnel
- ____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on this form in the space below

Comments:



JOINT IMMOBILIZATION

Candidate: Date:	Examiner:Signature:		
Actual Time Started:		Possible Points	Points Awarded
Takes or verbalizes appropriate body substance isolation pr	ecautions	1	
Directs application of manual stabilization of the injury		1	
Assesses distal motor, sensory, and circulatory functions in the injured extremity		1	
NOTE: The examiner acknowledges, "Motor, sensory, a	nd circulatory functions are pres	ent and no	ormal."
Selects the proper splinting material		1	
Immobilizes the site of the injury		1	
Immobilizes the bone above the injury site		1	
Immobilizes the bone below the injury site		1	
Secures the entire injured extremity		1	
Reassesses distal motor, sensory, and circulatory functions in the injured extremity		1	
NOTE: The examiner acknowledges, "Motor, sensory, and circulatory functions are present and normal."			
Actual Time Ended:	TOTAL	9	

Critical Criteria

- ____ Did not immediately stabilize the extremity manually
- ____ Grossly moves the injured extremity
- ____ Did not immobilize the bone above and below the injury site
- ____ Did not reassess distal motor, sensory, and circulatory functions in the injured extremity before and after splinting
- ____ Failure to manage the patient as a competent EMT
- ____ Exhibits unacceptable affect with patient or other personnel
- _____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.

All materials subject to this copyright may be photocopied for the non-commercial purpose of educational or scientific advancement.



LONG BONE IMMOBILIZATION

Candidate:	Examiner:		
Date:	Signature:		
		Possible	Points
Actual Time Started:		Points	Awarded
Takes or verbalizes appropriate body substance isolation pr	recautions	1	
Directs application of manual stabilization of the injury		1	
Assesses distal motor, sensory, and circulatory functions in	the injured extremity	1	
NOTE: The examiner acknowledges, "Motor, sensory, a	nd circulatory functions are pres	ent and no	ormal."
Measures the splint		1	
Applies the splint		1	
Immobilizes the joint above the injury site		1	
Immobilizes the joint below the injury site		1	
Secures the entire injured extremity		1	
Immobilizes the hand/foot in the position of function		1	
Reassesses distal motor, sensory, and circulatory functions	in the injured extremity	1	
NOTE: The examiner acknowledges, "Motor, sensory, and circulatory functions are present and nor			ormal."
Actual Time Ended:	ΤΟΤΑΙ	10	

Critical Criteria

- ____ Did not immediately stabilize the extremity manually
- ____ Grossly moves the injured extremity
- ____ Did not immobilize the joint above and the joint below the injury site
- ____ Did not immobilize the hand or foot in a position of function
- ____ Did not reassess distal motor, sensory, and circulatory functions in the injured extremity before and after splinting
- ____ Failure to manage the patient as a competent EMT
- ____ Exhibits unacceptable affect with patient or other personnel
- _____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on this form (below or turn sheet over).

© 2011 by the National Registry of Emergency Medical Technicians, Inc.



SPINAL IMMOBILIZATION (SUPINE PATIENT)

Candidate:	Examiner:
Date:	Signature:

	Possible	Points
Actual Time Started:	Points	Awarded
Takes or verbalizes body substance isolation precautions	1	
Directs assistant to place/maintain head in the neutral, in-line position	1	
Directs assistant to maintain manual stabilization of the head	1	
Reassesses motor, sensory, and circulatory functions in each extremity	1	
Applies appropriately sized extrication collar	1	
Positions the immobilization device appropriately	1	
Directs movement of the patient onto the device without compromising the integrity of the	1	
spine	1	
Applies padding to voids between the torso and the device as necessary	1	
Immobilizes the patient's torso to the device	1	
Evaluates and pads behind the patient's head as necessary	1	
Immobilizes the patient's head to the device	1	
Secures the patient's legs to the device	1	
Secures the patient's arms to the device	1	
Reassesses motor, sensory, and circulatory function in each extremity	1	
Actual Time Ended: TOTAL	14	

Critical Criteria

- ____ Did not immediately direct or take manual stabilization of the head
- ____ Did not properly apply appropriately sized cervical collar before ordering release of manual stabilization
- _____ Released or ordered release of manual stabilization before it was maintained mechanically
- ____ Manipulated or moved the patient excessively causing potential for spinal compromise
- _____ Head immobilized to the device **before** device sufficiently secured to the torso
- ____ Patient moves excessively up, down, left, or right on the device
- ____ Head immobilization allows for excessive movement
- _____ Upon completion of immobilization, head is not in a neutral, in-line position
- ____ Did not reassess motor, sensory, and circulatory functions in each extremity after immobilizing patient to the device
- ____ Failure to manage the patient as a competent EMT
- ____ Exhibits unacceptable affect with patient or other personnel
- _____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.

© 2011 by the National Registry of Emergency Medical Technicians, Inc.



OXYGEN ADMINISTRATION BY NON-REBREATHER MASK

Candidate:	Examiner:			
Date:	Signature:			
			Possible	Points
Actual Time Started:			Points	Awarded
Takes or verbalizes appropriate body substance isolation	n precautions		1	
Gathers appropriate equipment			1	
Cracks valve on the oxygen tank			1	
Assembles the regulator to the oxygen tank			1	
Opens the oxygen tank valve			1	
Checks oxygen tank pressure			1	
Checks for leaks			1	
Attaches non-rebreather mask to correct port of regulato	r		1	
Turns on oxygen flow to prefill reservoir bag			1	
Adjusts regulator to assure oxygen flow rate of at least 1	0 L/minute		1	
Attaches mask to patient's face and adjusts to fit snugly			1	
Actual Time Ended:		TOTAL	11	

Critical Criteria

- _____ Failure to take or verbalize appropriate body substance isolation precautions
- ____ Failure to assemble the oxygen tank and regulator without leaks
- ____ Failure to prefill the reservoir bag
- _____ Failure to adjust the oxygen flow rate to the non-rebreather mask of at least 10 L/minute
- Failure to assure a tight mask seal to patient's face
- Failure to manage the patient as a competent EMT
- ____ Exhibits unacceptable affect with patient or other personnel
- _____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on this form (below or turn sheet over).

Comments:	